



# HGS (INDIA) LIMITED

## Scorpion 4 Pair Digital Cable




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)




# HGS (INDIA) LIMITED


## SCHEMATIC



### Scorpion 4 Pair (Light Duty, dia 8.89 mm)



### Scorpion 4 Pair (Medium Duty, dia 10.67 mm)




### Scorpion 4 Pair (Heavy Duty, dia 9.53 mm)

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com




# HGS (INDIA) LIMITED

## SCHEMATIC



### Scorpion 4 Pair (Heavy Duty, dia 10.41 mm)



### Scorpion 4 Pair (Detour cable, blue, dia 9.53 mm)



# HGS (INDIA) LIMITED

## SPECIFICATIONS

### Scorpion 4 Pair Digital Cable

- Integral twisted pair digital line cable with hermaphroditic 6 contact Dynacon quick couple mid span connectors for Scorpion, ION land imaging systems.
- Water block, 4 pair cable with PP fillers for round construction
- Manufactured under approval of ION Geophysical Corporation
- Break Strength >205 kgf
- Jacket color black
- Moulded water proof customer defined onboard / pigtail takeouts (customer's choice)
- Central takeout with detachable D-unit
- Customer specified lengths available
- Maximum strength in rugged field conditions
- Operating Temperature Range: -20°C to +70°C
- Waterproof up to 2 bar pressure

<b>Cable type</b>	<b>Bulk cable P/N</b>	<b>Cable Dia</b>	<b>Jacket thickness</b>	<b>Jacket colour</b>	<b>Cable weight per K.M.</b>
Light duty	AC0230	8.89 mm	1.52 mm	Black	90kg
Medium duty	AC0194	10.67 mm	2.41 mm	Black	120kg
Heavy duty (India)	AC0155	9.53 mm	1.85 mm	Black	100kg
Heavy duty	AC0249	10.41 mm	2.29 mm	Black	105kg
Detour cable	AC0226	9.53 mm	1.85 mm	Blue	100kg