



HGS (INDIA) LIMITED

Cable assembly dynacon pigtail FSU2 battery charger




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SCHEMATIC

CABLE DYNACON PIGTAIL FSU2 BATTERY CHARGER



NOTE: LENGTH OF 'A' TO BE AS PER CUSTOMER REQUIREMENT

Cable assembly dynacon pigtail FSU2 battery charger

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SPECIFICATION

Cable assembly dynacon pigtail FSU2 battery charger

- Charger cable with RSR 8 pin male line connector for ION's FSUs
- Moulded on 10.13 mm diameter cable
- Length of cable as per customer's requirement
- RSR 8 pin male line connector has gold plated contacts to assure electrical connection
- High impact resistant material
- Fitted with dust cap
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar