



HGS (INDIA) LIMITED

HGS PE-3 Case




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SCHEMATIC



SR NO.	DESCRIPTION	QTY.
1.	S.S. SCREW	4Nos
2.	PE-3C TOP PLATE, YELLOW	1No.
3.	PE-3C TOP PLATE, RED	1No. OR
4.	RUBBER GASKET A	1No.
5.	RUBBER GASKET B	1No. OR
6.	STRESS RING	1No.
7.	MFR	1No.
8.	INSULATION DISC	1No.
9.	GEOPHONE ELEMENT	1No.
10.	S.S. STUD	1No.
11.	O' RING	1No.
12.	PE-3C CASE	1No.
13.	S.S. WASHER	1No.
14.	SPIKE	1No. OR
15.	TRIPOD BASE	1No.

HGS PE-3 Case



HGS (INDIA) LIMITED

SPECIFICATIONS

HGS PE-3 Case

- Suitable for SM-24, SM-4, SM-7 & SM-15 geophones.
- Available with different colours of top plates for geophone identification.
- UV stabilized single entry and dual entry gasket options.
- Cable pull strength approaches cable break strength.
- Waterproof land case.
- Easy access for checking / recalling / basic unit exchange or cable maintenance.
- Different steel / brass spikes and tripods available.
- Metal parts corrosion resistant.
- Impact modified polymers for moulding.
- Operating Temperature Range: -20°C to +70°C