




# HGS (INDIA) LIMITED

## MDS-18 Telemetry Cable




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)



# HGS (INDIA) LIMITED

## SCHEMATIC



## MDS-18 Telemetry Cable

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com



# HGS (INDIA) LIMITED

## SPECIFICATIONS

### MDS-18 Telemetry Cable

- Seismic telemetry cable for MDS-18 seismic data acquisition system used for transmission of digital data and commands between a central controller and to carry analog data from the geophone strings to remote units.
- Construction: Digital 2 pairs, Analog 5 pairs.
- Outer Dia : 8.8mm  $\pm$ 0.2 mm
- Break Strength >160 kgf
- Weight : 33 kg / 440m
- Elongation at break 600 %.
- Maximum strength in rugged field conditions.
- Enough flexibility and strength for use in mobile field operations and frequent handling, transportation in form of coil etc.
- Operating Temperature Range: -20°C to +70°C
- Waterproof up to 2 bar pressure