



HGS (INDIA) LIMITED



HGS 55 Pin Female Back to Back Conn.



158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS 55 Pin Female Back to Back Conn.



| 8 | INSULATED WIRE ROPE, 100LBS, DIA-1.55MM | 30cm |
|---------|---|---------|
| 7 | CRIMP SLEEVE | 02 Nos. |
| 6 | THIMBLE 1.5mm ring tongue | 02 Nos. |
| 5 | M3X5mm PAN HEAD SCREW | 02 Nos. |
| 4 | CONN. BACK SHELL | 01 No. |
| 3 | 55 PIN F CONN. INSERT | 02 Nos. |
| 2 | PAN HEAD SCREW, M3x12mm | 08 Nos. |
| 1 | DUST CAP | 02 Nos. |
| SL. NO. | DESCRIPTION | QTY |



HGS (INDIA) LIMITED



SPECIFICATIONS

HGS 55 Pin Female Back to Back Conn.

- Easily field repairable and water proof
- Back to Back female connector used to connect two cables with 55 pin male connectors
- Metal body for increased strength and use in rugged field condition
- Fitted with dust caps
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar