



# HGS (INDIA) LIMITED



## Y Adapter 18 pin Male to Dynacon 6 Pin Female




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)



# HGS (INDIA) LIMITED



## SCHEMATIC



5	6 PIN FEMALE DYNACON OVERMOULD CONN.	02Nos
4	6 COND. CABLE,14AWG & 24AWG	3'
3	Y-MOULD	01No.
2	12 COND. CABLE,14AWG & 24AWG	1'-8"
1	18 PIN MALE CONN ASSY.(MARINE)	01No.
SL. NO.	DESCRIPTION	QTY.

## Y Adapter 18 pin Male to Dynacon 6 Pin Female

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### Y Adapter 18 pin Male to Dynacon 6 Pin Female

- Y adapter 18 pin male connector to two Dynacon 6 pin female overmoulded connectors
- To be used as a battery cable between XLU and batteries
- No direct impact on solder joints while pulling cable
- Impact Resistant Material.
- Water proof for marsh environment
- Gold plated pins & sockets assure positive electrical connections
- Maximum strength in rugged field condition
- Fitted with dust cap
- Operating temperature range: -20°C to +70°C.
- Pressure Rating: Up to 3 bar