



# HGS (INDIA) LIMITED

## HGS Shallow Refraction Cable




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)



# HGS (INDIA) LIMITED

## SCHEMATIC



### HGS Shallow Refraction Cable with 12 take-outs

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com



# HGS (INDIA) LIMITED

## SPECIFICATIONS

### HGS Shallow Refraction Cable

- Pairs: 13 to 25 pairs
- Conductor: 6 copper+1 steel
- DC resistance < 290 ohms / km
- Outer Dia : 5 mm to 9 mm
- Uses patented stainless waterproof moulded wide and narrow take-outs
- Excellent flexibility
- Cable Sheathing using finest urethanes
- Break Strength: 65 to 120 kgf
- Maximum strength in rugged field conditions
- Optional: Shallow refraction cable with conductor shielding also available
- Operating Temperature Range: -20°C to +70°C

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com