



HGS (INDIA) LIMITED

Saris Resistivity imaging cable




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com




HGS (INDIA) LIMITED

SCHEMATIC



Saris Resistivity imaging cable with 5 take outs



Saris Resistivity imaging cable with 13 take outs

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SPECIFICATION

Saris Resistivity imaging cable

- Cable for Scintrex Automated Resistivity Imaging System (SARIS)
- Manufactured under approval of Scintrex Ltd.
- Consists of HGS 10 pin male connector at one end and 10 pin female connector at other end
- Outer Diameter 7.2 +/- 0.2 mm
- Break Strength >130 kgf
- Jacket color blue
- Water proof stainless steel takeouts with potted electronic circuitry
- Customer specified lengths and number of takeouts available
- Maximum strength in rugged field conditions.
- Operating Temperature Range: -20°C to +70°C

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com