



HGS (INDIA) LIMITED



Adapter HGS-VI to Dynacon 6 Pin Male Connector




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SCHEMATIC



3	HGS-VI-F OVERMOULD CONN. ASSY. (100lbs)	01No.
2	3 PAIR CABLE	18"
1	6 PIN MALE OVERMOULD DYNACON CONN. ASSY.,100lbs, 4 start threads (with Blue coupling ring)	01No.
SL. NO.	DESCRIPTION	QTY.

Adapter HGS-VI to Dynacon 6 Pin Male Connector

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SPECIFICATIONS

Adapter HGS-VI to Dynacon 6 Pin Male Connector

- Adapter HGS-VI to Dynacon 6 pin male connector with 3 pair cable
- To be used between 3-axis geophone and Dynacon 6 pin panel mount connector
- Impact Resistant Material
- Water proof for marsh environment
- Gold plated pins & sockets assure positive electrical connections
- Maximum strength in rugged field condition
- Fitted with dust caps
- Operating temperature range: -20°C to +70°C
- Pressure Rating: Up to 3 bar

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com