



HGS (INDIA) LIMITED

Scorpion 4 Pair Digital Cable




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com




HGS (INDIA) LIMITED


SCHEMATIC



Scorpion 4 Pair (Light duty, dia 8.89 mm)



Scorpion 4 Pair (Medium duty, dia 9.53 mm)



Scorpion 4 Pair (Heavy duty, dia 10.41 mm)

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA


Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845

Email: sales@hgsindia.com




HGS (INDIA) LIMITED

SCHEMATIC



Scorpion 4 Pair (Very heavy duty, dia 10.67 mm)



Scorpion 4 Pair (Detour cable, blue, dia 9.53 mm)

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SPECIFICATIONS

Scorpion 4 Pair Digital Cable

- Integral twisted pair digital line cable with hermaphroditic 6 contact Dynacon quick couple mid span connectors for Scorpion land imaging systems.
- Water block, 4 pair cable with PP fillers for round construction
- Break Strength >205 kgf
- Jacket color black
- Moulded water proof customer defined onboard / pigtail takeouts (customer's choice)
- Central takeout with detachable D-unit
- Customer specified lengths available
- Maximum strength in rugged field conditions
- Operating Temperature Range: -20°C to +70°C
- Waterproof up to 2 bar pressure