



# HGS (INDIA) LIMITED




## G3i LAND CABLE HEAD ASSEMBLY



158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)



# HGS (INDIA) LIMITED



ITEM	QTY.	DESCRIPTION
1	1	STOP SLEEVE
2	1	G3 12 PIN CABLE HEAD DUST CAP
3	1	G3 2012 CM INSERT SILICON INJECTION ASSY.
4	1	G3i 12 PIN CABLE HEAD COUPLER SUB ASSY.
5	1	CABLE STRESS RELIEF
6	1	G3i 12 PIN RING GASKET-12 PIN MAIN BODY
7	2	O' RING
8	1	G3i 12 PIN CABLE HEAD MAIN BODY
9	1	G3 12 PIN CABLE HEAD WASHER
10	1	G3 CABLE HEAD WAVE SPRING
11	1	G3i CABLE HEAD SPIRAL RETAINING RING
12	1	COLLET (A-1732-328)
13	1	WASHER COLLET
14	1	CABLE BOOT
15	1	BOOT WASHER
16	1	BOOT NUT,BLACK
17	40CM	INSULATED WIRE ROPE
18	1	CRIMP SLEEVE

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### G3i LAND CABLE HEAD ASSEMBLY

- Female connector with coupling ring and dust cap
- Threads provided for mating with its counterpart male connector with coupling
- Screw fit mating
- Impact Resistant Material
- Water proof for marsh environment
- Gold plated sockets assure positive electrical connections
- Maximum strength in rugged field condition
- Operating temperature range: -40° C to +70° C
- Pressure Rating: Up to 1.5 bar

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com