



# HGS (INDIA) LIMITED

## HC4P Marsh Connector Assembly




Plot No- 158, Sector- 4, IMT Manesar, Gurgaon, Haryana- 122050 (INDIA)  
Tel: +91(0124) 4681800, Fax: +91(0124) 4681845  
email:sales@hgsindia.com



# HGS (INDIA) LIMITED

## SCHEMATIC



13	PARACHUTE CORD	25cm
12	GLAND NUT	01 No.
11	COLLET	01 No.
10	RUBBER GLAND	01 No.
9	AL. WASHER	02 Nos.
8	SPACER	01 No.
7	LEADER CABLE	01 No.
6	PIN RETAINER SUB ASSY.	01 No.
5	CONICAL WASHER	01 No.
4	COUPLING NUT	01 No.
3	CONNECTOR BODY	01 No.
2	DUMBELL WASHER	01 No.
1	DUST CAP	01 No.
SL. NO.	DESCRIPTION	QTY

### HC4P Marsh Connector Assembly

Plot No- 158, Sector- 4, IMT Manesar, Gurgaon, Haryana- 122050 (INDIA)  
Tel: +91(0124) 4681800, Fax: +91(0124) 4681845  
email:sales@hgsindia.com



# HGS (INDIA) LIMITED

## SPECIFICATIONS

### HC4P Marsh Connector Assembly

- Fully compatible with Herma IV connector
- Suitable for 4.57, 5.33 or 6.35 mm cable
- Threaded coupling ring assures mating with its counterpart
- Water proof for marsh environment
- Maximum strength in rugged field condition
- Fitted with dust cap
- Gold plated pins for reduced corrosion and less contact resistance
- Impact modified polymers used in moulding to improve break strength of connector components and retain dimensional rigidity when tightened and for prevention of leakage.
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 4.5 bar

Plot No- 158, Sector- 4, IMT Manesar, Gurgaon, Haryana- 122050 (INDIA)  
Tel: +91(0124) 4681800, Fax: +91(0124) 4681845  
email:sales@hgsindia.com