



# HGS (INDIA) LIMITED



## HGS-3 Pin Female SF Battery Connector Assembly



158, Sector-4, IMT Manesar, Gurugram-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com




# HGS (INDIA) LIMITED



## SCHEMATIC

### HGS-3 Pin Female SF Battery Connector Assembly



4	BATTERY TERMINATION	02 Nos.
3	CABLE GLAND OVERMOULD SUB ASSY.	01 No.
2	2 CORE BATTERY CABLE, BLACK	As Req.
1	3 PIN F OVERMOULD BATTERY CONN ASSY., 3 START	01 No.
S. NO.	DESCRIPTION	QTY



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### HGS-3 Pin Female SF Battery Connector Assembly

- Female connector with coupling ring and dust cap
- Threads provided for mating with its counterpart male connector with coupling
- Screw fit mating.
- Impact Resistant Material
- Water proof for marsh environment
- Gold plated sockets ensure positive electrical connections
- Maximum strength in rugged field condition
- Heavy duty terminals for connection to battery
- Operating temperature range: -20°C to +70°C
- Pressure Rating: Up to 3 bar

Version 1.1