



HGS (INDIA) LIMITED



GEODE CABLE ASSEMBLY




158, Sector-4, IMT Manesar, Gurugram-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SCHEMATIC GEODE CABLE ASSEMBLY



6	CAT5 CABLE W/O ANALOG 7.8MM 7X0.2MM TC F BLACK	As Reqd.
5	25 PAIR CABLE WITH COMM. PAIR, OD-13.5MM, BLACK	As Reqd.
4	5515F SF IN LINE T.O., WATER BLOCKED, BLUE	24 Nos.
3	CABLE ANCHOR SUB ASSY.	02 Nos.
2	HGS-10 PIN MALE CONNECTOR 8.3MM CABLE DIA	02 Nos.
1	HGS-61 PIN FEMALE CONNECTOR ASSY., 8.5MM CABLE	02 Nos.
SL. NO.	DESCRIPTION	QTY



HGS (INDIA) LIMITED



SPECIFICATIONS

GEODE CABLE ASSEMBLY

- Imported connector inserts.
- HGS-61 pin female connector with HGS-10 pin male metal connector on both sides.
- Easily field repairable and water proof.
- High Impact Resistant Material.
- Cable entry kit prevents rotational twist to conductors in housing.
- Stress wafer/Cable anchor to avoid stress on solder joints.
- Maximum strength in rugged field condition.
- Fitted with dust cap.
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar

Version 1.1