



# HGS (INDIA) LIMITED



## Scorpion 4 Pair Digital Cable



158, Sector-4, IMT Manesar, Gurugram-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: [sales@hgsindia.com](mailto:sales@hgsindia.com)




# HGS (INDIA) LIMITED




## SCHEMATIC

### Scorpion 4 Pair (Light Duty, Dia 8.89 mm)




## SCHEMATIC

### Scorpion 4 Pair (Medium Duty, Dia 9.53 mm)



## SCHEMATIC

### Scorpion 4 Pair (Heavy Duty, Dia 10.41 mm)






# HGS (INDIA) LIMITED




## SCHEMATIC

### Scorpion 4 Pair (Very Heavy Duty, Dia 10.67 mm)



## SCHEMATIC

### Scorpion 4 Pair (Detour Cable, Blue, Dia 9.53 mm)





# HGS (INDIA) LIMITED



## SPECIFICATIONS

### Scorpion 4 Pair Digital Cable

- Integral twisted pair digital line cable with hermaphroditic 6 contact Dynacon quick couple mid span connectors for Scorpion, ION land imaging systems.
- Water block, 4 pair cable with PP fillers for round construction
- Manufactured under approval of ION Geophysical Corporation
- Break Strength >205 kgf
- Jacket color black
- Moulded water proof customer defined onboard / pigtail takeouts (customer's choice)
- Central takeout with detachable D-unit
- Customer specified lengths available
- Maximum strength in rugged field conditions
- Operating Temperature Range: -20°C to +70°C
- Waterproof up to 2 bar pressure

Version 1.1